

# **SAFETY DATA SHEET**

Version 6.4 Revision Date 01/15/2024 Print Date 04/04/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifiers

Product name

: Manganese

Brand	:	Stanford Advanced Materials
CAS-No.	:	7439-96-5

# **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# **1.3** Details of the supplier of the safety data sheet

Company	: Stanford Advanced Materials 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.
Telephone	: (949) 407-8904
Fax	: (949) 812-6690

# **1.4 Emergency telephone number**

Emergency Phone #

: (949) 407-8904 (This telephone number is available 24 hours per day, 7 days per week.)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Chemicals which, in contact with water, emit flammable gases (Category 1), H260 Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s)	
H260	In contact with water releases flammable gases which may ignite spontaneously.
H412	Harmful to aquatic life with long lasting effects.

Page 1 of 10

Precautionary statement(s)	
P223	Do not allow contact with water.
P231 + P232	Handle under inert gas. Protect from moisture.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P335 + P334	Brush off loose particles from skin. Immerse in cool water/ wrap in wet bandages.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P402 + P404	Store in a dry place. Store in a closed container.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula Molecular weight CAS-No. EC-No.	: Mn : 54.94 g/mol : 7439-96-5 : 231-105-1		
Component		Classification	Concentration
Manganese			
		1; Aquatic Acute 2; Aquatic Chronic 2; H260, H401, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

**Suitable extinguishing media** Dry powder Dry sand

**Unsuitable extinguishing media** Do NOT use water jet.

- **5.2** Special hazards arising from the substance or mixture Manganese/manganese oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** No data available

#### **SECTION 6:** Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

**6.2 Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage.

Moisture sensitive. Keep in a dry place. Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon contact with water

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Components with workplace control parameters**

Component	CAS-No.	Value	Control parameters	Basis
Manganese	7439-96-5	С	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Remarks	Ceiling limi samples.	t is to be detern	nined from breathing-zone air
		TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	3 mg/m3	USA. NIOSH Recommended Exposure Limits
		С	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		Ceiling limi samples.	t is to be detern	nined from breathing-zone air
		PEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	3 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Central Nei Not classifi varies	rvous System im able as a humar	npairment n carcinogen
		TWA	0.02 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Central Ne	rvous System in	pairment

Page 4 of 10

	Not classifiable as a human carcinogen varies
 _	

# 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Impervious clothing, Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Colour: grey
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 1,244 °C (2,271 °F) - lit.
f)	Initial boiling point and boiling range	1,962 °C 3,564 °F - lit.
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid,	No data available

gas)

j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	7.3 g/mL at 25 °C (77 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

# 9.2 Other safety information No data available

# SECTION 10: Stability and reactivity

**10.1 Reactivity** No data available

**10.2 Chemical stability** Stable under recommended storage conditions.

- **10.3 Possibility of hazardous reactions** Reacts violently with water.
- **10.4 Conditions to avoid** Exposure to moisture

# **10.5 Incompatible materials** acids, Halogens, Bases, Phosphorus, Sulphur oxides, Peroxides

#### **10.6 Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Manganese/manganese oxides

Other decomposition products - No data available In the event of fire: see section  ${\bf 5}$ 

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - > 2,000 mg/kg (OECD Test Guideline 420) LC50 Inhalation - Rat - male and female - 4 h - > 5.14 mg/l (OECD Test Guideline 403) Dermal: No data available No data available

# Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 72 h (OECD Test Guideline 405)

# **Respiratory or skin sensitisation**

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

# Germ cell mutagenicity

Ames test Escherichia coli/Salmonella typhimurium Result: negative Chromosome aberration test in vitro Human lymphocytes Result: negative In vitro mammalian cell gene mutation test mouse lymphoma cells Result: negative OECD Test Guideline 474 Mouse - female - Red blood cells (erythrocytes) Result: negative

# Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

May cause reproductive disorders.

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

#### **Additional Information**

RTECS: 009275000

Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 3.6 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 1.6 mg/l $$ - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - 4.5 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - 1,000 mg/l - 3 h (OECD Test Guideline 209)

# 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### **12.6 Other adverse effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life. No data available

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

#### **Contaminated packaging**

Dispose of as unused product.

#### **SECTION 14:** Transport information

#### DOT (US)

UN number: 3208 Class: 4.3 Packing group: I Proper shipping name: Metallic substance, water-reactive, n.o.s. (Manganese) Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### IMDG

UN number: 3208 Class: 4.3 Packing group: I EMS-No: F-G, S-N Proper shipping name: METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S. (Manganese)

#### ΙΑΤΑ

UN number: 3208 Class: 4.3 Packing group: I Proper shipping name: Metallic substance, water-reactive, n.o.s. (Manganese) IATA Passenger: Not permitted for transport

#### **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Manganese	7439-96-5	2007-07-01

#### SARA 311/312 Hazards

Reactivity Hazard, Chronic Health Hazard

Massachusetts Right To Know Components No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know Components

Manganese	
-----------	--

CAS-No.	Revision Date
7439-96-5	2007-07-01

Page 9 of 10

# **SECTION 16: Other information**

#### **Further information**

Stanford Advanced Materials granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Stanford Advanced Materials shall not be held liable for any damage resulting from handling or from contact with the above product. See www.samaterials.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact sales@samaterials.com.

Version: 6.4

Revision Date: 01/15/2024

Print Date: 04/04/2024